



## Ordering Information<sup>(1)</sup>

Part Number	Regulating Current (mA)	Operating Temperature Range	Lead-Free	Package	Packag Method
XR46084EHTR-C1 <sup>(3)</sup>	40	-40°C ≤ T <sub>J</sub> ≤ 150°C	Yes <sup>(2)</sup>	TDFN6 2x2	Reel
XR46084EHTR-C2 <sup>(3)</sup>	66				
XR46084EHTR-C3 <sup>(3)</sup>	52				
XR46084EHTR-D1 <sup>(3)</sup>	80				
XR46084EHTR-D2 <sup>(3)</sup>	130				
XR46084EHTR-D3 <sup>(3)</sup>	104				
XR46084EHTR-ADJ	Determined by external resistor only				
XR46084ESFTR-C1 <sup>(3)</sup>	40	-40°C ≤ T <sub>J</sub> ≤ 150°C	Yes <sup>(2)</sup>	SOT-89-5	Reel
XR46084ESFTR-C2 <sup>(3)</sup>	66				
XR46084ESFTR-C3 <sup>(3)</sup>	52				
XR46084ESFTR-D1 <sup>(3)</sup>	80				
XR46084ESFTR-D2 <sup>(3)</sup>	130				
XR46084ESFTR-D3 <sup>(3)</sup>	104				
XR46084ESFTR-ADJ	Determined by external resistor only				
XR46084ECF-C1 <sup>(3)</sup>	40	-40°C ≤ T <sub>J</sub> ≤ 150°C	Yes <sup>(2)</sup>	Dice	Wafer
XR46084ECF-C2 <sup>(3)</sup>	66				
XR46084ECF-C3 <sup>(3)</sup>	52				
XR46084ECF-D1 <sup>(3)</sup>	80				
XR46084ECF-D2 <sup>(3)</sup>	130				
XR46084ECF-D3 <sup>(3)</sup>	104				
XR46084ECF-ADJ	Determined by external resistor only				

**NOTE:**

1. Refer to [www.exar.com/XR46084](http://www.exar.com/XR46084) for most up-to-date Ordering Information.
2. Visit [www.exar.com](http://www.exar.com) for more information.
3. Contact factory for availability.

Please contact [LEDtechsupport@exar.com](mailto:LEDtechsupport@exar.com) to request a complete datasheet.



[www.exar.com](http://www.exar.com)

48760 Kato Road  
Fremont, CA 94538  
USA

Tel.: +1 (510) 668-7000  
Fax: +1 (510) 668-7001  
Email: [LEDtechsupport@exar.com](mailto:LEDtechsupport@exar.com)

Exar Corporation reserves the right to make changes to the products contained in this publication in order to improve design, performance or reliability. Exar Corporation conveys no license under any patent or other right and makes no representation that the circuits are free of patent infringement. While the information in this publication has been carefully checked, no responsibility, however, is assumed for inaccuracies.

Exar Corporation does not recommend the use of any of its products in life support applications where the failure or malfunction of the product can reasonably be expected to cause failure of the life support system or to significantly affect its safety or effectiveness. Products are not authorized for use in such applications unless Exar Corporation receives, in writing, assurances to its satisfaction that: (a) the risk of injury or damage has been minimized; (b) the user assumes all such risks; (c) potential liability of Exar Corporation is adequately protected under the circumstances.

Reproduction, in part or whole, without the prior written consent of Exar Corporation is prohibited. Exar, XR and the XR logo are registered trademarks of Exar Corporation. All other trademarks are the property of their respective owners.

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Exar:

[XR46084ESFTR-ADJ](#) [XR46084EHTR-ADJ](#)